# **Set Collars •** with quick setting 25071.0016



# **Product Description**

To be used for positioning, gripping, clamping and as a quick adjustment element on shafts. Quick, self-clamping and vibration-free mounting by one-hand operation in pull-direction.

#### **Material**

#### Body

• Thermoplastic PA 6, black


#### Inner parts

Stainless steel

#### O-ring

• NBR

# **Drawing**



# **Order information**

Dimensions								F		I	Art. No.		
<b>d</b> <sub>1</sub> +0.1	d <sub>2</sub>	d <sub>3</sub>	d <sub>4</sub>	d <sub>5</sub>	I <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	I <sub>4</sub>	I <sub>5</sub>	Holding force axial, one-sided	max.		
	[mm]								[N]	[°C]	[g]		
16	40	25	22.4	31	27.5	7	1.7	3.15	0.5	380	80	27	25071.0016

# **Accessories**

	Dimensions d	Suitable for size	ĭ	Art. No.					
	[mm]	[mm]	[9]						
O-ring									
	22 x 1.5	8, 10, 12, 15, 16	0.2	25071.0052					
	27 x 1.5	20, 22	0.2	25071.0054					




Halder France SAS www.halder.fr

Page 1 of 2 Published on: 4.2.2024

# **Application example**





# Compliance

#### **RoHS** compliant

Compliant according to Directive 2011/65/EU and Directive 2015/863.

#### Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 23.01.2024.

# **Does not contain Proposition 65 substances**

No Proposition 65 substances included. https://www.P65Warnings.ca.gov/

#### **Free from Conflict Minerals**

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



Halder France SAS www.halder.fr